

GMJ Natural Products, Inc. Issues Allergy Alert on Undeclared Whey Protein in "Jugo Moringa Plus Antioxidant 32 Fl Oz Jug"

For Immediate Release

June 17, 2016

Contact

Consumers

GMJ Natural Products Inc.
1-714-254-0682

Announcement

[View Product Photos](#)

GMJ Natural Products Inc. of Anaheim, Ca, is recalling its 32 fl oz jugs of "Jugo Moringa Plus Antioxidant" because they may contain undeclared whey protein. People who have allergies to milk or soy lecithin run the risk of serious or life-threatening allergic reaction if they consume these products.

The recalled "Jugo Moringa Plus Antioxidant" 32 fl oz jugs were distributed nationwide in retail stores and through mail orders.

The product comes in a 32 fl oz, white plastic jug marked with lot # 15094,15258,15310,16053 and 16091 on the bottom.

No illnesses have been reported to date in connection with this problem.

The recall was initiated after it was discovered that the whey protein-containing product was distributed in jugs with a label that did not reveal the presence of whey protein. Subsequent investigation indicates the problem was caused by a temporary breakdown in the company's production and packaging processes. Production of the product has been suspended until FDA and the company are certain that the problem has been corrected.

Consumers who have purchased 32 fl oz jugs of "Jugo Moringa Plus Antioxidant" are urged to return them to the place of purchase for a full refund. Consumers with questions may contact the company at 1-714-254-0682 M-F from 9am-4pm pacific time.

*** We believe that none of the products being recalled were processed or offered through the national office.**

* We strongly encourage you to notify your agencies within one business day from receipt of this notice.

* ALL cased and uncased inventories, both at the member level and agency level, need to be checked. This product may have entered member and agency warehouses through salvage, local donations, TEFAP, local purchases, retail pickups, food drives, or other avenues.

* For additional local details, please contact the Health Department(s) for the area(s) your food bank serves.

For full details on the recall, please

visit: http://www.fda.gov/Safety/Recalls/ucm507523.htm?source=govdelivery&utm_medium=email&utm_source=govdelivery

If you have questions, please contact Wayne Melichar, Food Safety Manager, at wmelichar@feedingamerica.org or 312.629.7263.